



Drawn Round Tubing Standards

English units: Inches, Pounds

Diameter (A)	Wall Thickness (T)	WT/FT	Diameter (A)	Wall Thickness (T)	WT/FT	Diameter (A)	Wall Thickness	WT/FT
0.1875	0.0170	0.0107	0.3750	0.0170	0.0225	0.4375	0.0170	0.0264
	0.0200	0.0124		0.0200	0.0262		0.0200	0.0308
	0.0220	0.0135		0.0220	0.0287		0.0220	0.0338
	0.0250	0.0150		0.0250	0.0323		0.0250	0.0381
	0.0300	0.0175		0.0300	0.0382		0.0300	0.0452
	0.0320	0.0184		0.0320	0.0406		0.0320	0.0479
0.2500	0.0170	0.0146	0.0350	0.0440	0.0350	0.0520		
	0.0200	0.0170	0.0390	0.0484	0.0390	0.0574		
	0.0220	0.0185	0.0490	0.0590	0.0490	0.0703		
	0.0250	0.0208	0.0580	0.0679	0.0580	0.0813		
	0.0300	0.0244	0.4063	0.0170	0.0244	0.0625	0.0866	
	0.0320	0.0258		0.0200	0.0285		0.5000	0.0170
0.0350	0.0278	0.0220	0.0312	0.0200	0.0355			
0.3125	0.0170	0.0186	0.0250	0.0352	0.0220	0.0389		
	0.0200	0.0216	0.0300	0.0417	0.0250	0.0439		
	0.0220	0.0236	0.0320	0.0442	0.0300	0.0521		
	0.0250	0.0266	0.0350	0.0480	0.0320	0.0553		
	0.0300	0.0313	0.0390	0.0529	0.0350	0.0601		
	0.0320	0.0332	0.0490	0.0647	0.0390	0.0664		
0.0350	0.0359	0.0580	0.0746	0.0490	0.0816			
0.0390	0.0394			0.0580	0.0947	0.0625	0.1010	
						0.0830	0.1279	

Not all sizes are available in all alloys and tempers. Thousands of more custom OD/wall combinations are available, subject to inquiry.



Drawn Round Tubing Standards

Diameter (A)	Wall Thickness (T)	WT/FT	Diameter (A)	Wall Thickness (T)	WT/FT	Diameter (A)	Wall Thickness (T)	WT/FT
0.625	0.0250	0.0554	0.875	0.0625	0.1876	1.250	0.0270	0.1220
	0.0300	0.0659		0.0830	0.2429		0.0300	0.1352
	0.0320	0.0701	1.000	0.0270	0.0971		0.0320	0.1440
	0.0350	0.0763		0.0300	0.1075		0.0350	0.1571
	0.0390	0.0844		0.0320	0.1144		0.0390	0.1745
	0.0490	0.1043		0.0350	0.1248		0.0490	0.2174
	0.0580	0.1215		0.0390	0.1385		0.0580	0.2554
	0.0625	0.1299		0.0490	0.1722		0.0625	0.2742
0.0830	0.1662	0.0580	0.2019	0.0830	0.3579			
0.750	0.0250	0.0670	0.0625	0.2165	0.1000	0.4249		
	0.0270	0.0721	0.0830	0.2812	0.1200	0.5010		
	0.0300	0.0798	0.1000	0.3325	0.1250	0.5195		
	0.0320	0.0849	0.1200	0.3901	1.375	0.0270	0.1345	
	0.0350	0.0925	0.1250	0.4041		0.0300	0.1491	
	0.0390	0.1024	1.125	0.0270		0.1095	0.0320	0.1588
	0.0490	0.1269		0.0300		0.1214	0.0350	0.1733
	0.0580	0.1483		0.0320		0.1292	0.0390	0.1925
	0.0625	0.1587		0.0350		0.1409	0.0490	0.2400
	0.0830	0.2045	0.0390	0.1565	0.0580	0.2822		
0.875	0.0270	0.0846	0.0490	0.1948	0.0625	0.3031		
	0.0300	0.0937	0.0580	0.2286	0.0830	0.3962		
	0.0320	0.0997	0.0625	0.2453	0.1000	0.4710		
	0.0350	0.1086	0.0830	0.3195	0.1200	0.5564		
	0.0390	0.1205	0.1000	0.3787	0.1250	0.5773		
	0.0490	0.1495	0.1200	0.4456				
	0.0580	0.1751	0.1250	0.4618				

Not all sizes are available in all alloys and tempers. Thousands of more custom OD/wall combinations are available, subject to inquiry.



Drawn Round Tubing Standards

Diameter (A)	Wall Thickness (T)	WT/FT	Diameter (A)	Wall Thickness (T)	WT/FT	Diameter (A)	Wall Thickness (T)	WT/FT		
1.500	0.0270	0.1469	1.750	0.0580	0.3626	2.2500	0.0350	0.2864		
	0.0300	0.1629		0.0625	0.3897		0.0390	0.3186		
	0.0320	0.1736		0.0830	0.5112		0.0450	0.3666		
	0.0350	0.1894		0.1000	0.6096		0.0490	0.3984		
	0.0390	0.2105		0.1200	0.7226		0.0580	0.4697		
	0.0490	0.2627		0.1250	0.7504		0.0625	0.5051		
	0.0580	0.3090		0.1500	0.8867		0.0830	0.6645		
	0.0625	0.3319		2.000	0.0320		0.2327	0.1000	0.7943	
	0.0830	0.4345			0.0350		0.2541	0.1200	0.9443	
	0.1000	0.5172			0.0390		0.2826	0.1250	0.9814	
	0.1200	0.6118			0.0450		0.3250	0.1500	1.1638	
	0.1250	0.6350			0.0490		0.3532	0.1750	1.3416	
	0.1500	0.7481			0.0580		0.4161	2.3750	0.0350	0.3026
	1.625	0.0300			0.1768		0.0625		0.4474	0.0390
0.0320		0.1883	0.0830		0.5878	0.0450	0.3874			
0.0350		0.2056	0.1000		0.7020	0.0490	0.4211			
0.0390		0.2285	0.1200		0.8335	0.0580	0.4965			
0.0490		0.2853	2.125		0.0350	0.2703	0.0625		0.5340	
0.0580		0.3358			0.0390	0.3006	0.0830		0.7028	
0.0625		0.3608			0.0450	0.3458	0.1000		0.8405	
0.0830		0.4728			0.0490	0.3758	0.1200		0.9997	
0.1000		0.5634		0.0580	0.4429	0.1250	1.0391			
0.1200		0.6672		0.0625	0.4762	0.1500	1.2330			
0.1250		0.6927		0.0830	0.6262	0.1750	1.4224			
0.1500		0.8174		0.1000	0.7481	0.2000	1.6071			
1.750		0.0320		0.2031	0.1200	0.8889	0.2250		1.7872	
		0.0350		0.2218	0.1250	0.9236	0.2500	1.9627		
	0.0390	0.2465		0.1500	1.0945					
	0.0490	0.3079								

Not all sizes are available in all alloys and tempers. Thousands of more custom OD/wall combinations are available, subject to inquiry.



Drawn Round Tubing Standards

<u>Diameter (A)</u>	<u>Wall Thickness (T)</u>	<u>WT/FT</u>	<u>Diameter (A)</u>	<u>Wall Thickness (T)</u>	<u>WT/FT</u>	<u>Diameter (A)</u>	<u>Wall Thickness (T)</u>	<u>WT/FT</u>
2.5000	0.0350	0.3187	2.750	0.0350	0.3511	3.000	0.0350	0.3834
	0.0390	0.3546		0.0390	0.3906		0.0390	0.4266
	0.0450	0.4081		0.0450	0.4497		0.0450	0.4913
	0.0490	0.4437		0.0490	0.4890		0.0490	0.5342
	0.0580	0.5233		0.0580	0.5768		0.0580	0.6304
	0.0625	0.5628		0.0625	0.6206		0.0625	-0.0144
	0.0830	0.7412		0.0830	0.8178		0.0830	0.8945
	0.1000	0.8867		0.1000	0.9790		0.1000	1.0714
	0.1200	1.0551		0.1200	1.1660		0.1200	1.2768
	0.1250	1.0968		0.1250	1.2123		0.1250	1.3277
	0.1500	1.3023		0.1500	1.4409		0.1500	1.5794
	0.1750	1.5032		0.1750	1.6648		0.1750	1.8265
	0.2000	1.6995		0.2000	1.8842		0.2000	2.0689
	0.2250	1.8911		0.2250	2.0989		0.2250	2.3068
0.2500	2.0782	0.2500	2.3091	0.2500	2.5400			
2.6250	0.0350	0.3349	2.875	0.0350	0.3672	3.125	0.0350	0.3996
	0.0390	0.3726		0.0390	0.4086		0.0390	0.4446
	0.0450	0.4289		0.0450	0.4705		0.0450	0.5121
	0.0490	0.4663		0.0490	0.5116		0.0490	0.5568
	0.0580	0.5501		0.0580	0.6036		0.0580	0.6572
	0.0625	0.5917		0.0625	0.6494		0.0625	0.7072
	0.0830	0.7795		0.0830	0.8561		0.0830	0.9328
	0.1000	0.9329		0.1000	1.0252		0.1000	1.1176
	0.1200	1.1106		0.1200	1.2214		0.1200	1.3322
	0.1250	1.1545		0.1250	1.2700		0.1250	1.3854
	0.1500	1.3716		0.1500	1.5101		0.1500	1.6487
	0.1750	1.5840		0.1750	1.7457		0.1750	1.9073
	0.2000	1.7918		0.2000	1.9766		0.2000	2.1613
	0.2250	1.9950		0.2250	2.2028		0.2250	2.4107
0.2500	2.1936	0.2500	2.4245	0.2500	2.6554			

Not all sizes are available in all alloys and tempers. Thousands of more custom OD/wall combinations are available, subject to inquiry.



Drawn Round Tubing Standards

Diameter (A)	Wall Thickness (T)	WT/FT	Diameter (A)	Wall Thickness (T)	WT/FT	Diameter (A)	Wall Thickness (T)	WT/FT	
3.250	0.0350	0.4157	3.5000	0.0390	0.4987	3.750	0.1000	1.3485	
	0.0390	0.4627		0.0450	0.5744		0.1200	1.6093	
	0.0450	0.5328		0.0490	0.6247		0.1250	1.6741	
	0.0490	0.5795		0.0580	0.7376		0.1500	1.9950	
	0.0580	0.6840		0.0625	0.7937		0.1750	2.3114	
	0.0625	0.7360		0.0830	1.0478		0.2000	2.6231	
	0.0830	0.9711		0.1000	1.2561		0.2250	2.9302	
	0.1000	1.1638		0.1200	1.4985		0.2500	3.2327	
	0.1200	1.3877		0.1250	1.5586		3.875	0.0490	0.6926
	0.1250	1.4432		0.1500	1.8565			0.0580	0.8179
	0.1500	1.7179		0.1750	2.1497			0.0625	0.8803
	0.1750	1.9881		0.2000	2.4384			0.0830	1.1628
	0.2000	2.2536		0.2250	2.7224			0.1000	1.3947
	0.2250	2.5146		0.2500	3.0018			0.1200	1.6647
0.2500	2.7709	3.6250	0.0490	0.6474	0.1250	1.7318			
3.3750	0.0350		0.4319	0.0580	0.7643	0.1500		2.0643	
	0.0390		0.4807	0.0625	0.8226	0.1750		2.3922	
	0.0450		0.5536	0.0830	1.0861	0.2000		2.7155	
	0.0490		0.6021	0.1000	1.3023	0.2250		3.0341	
	0.0580		0.7108	0.1200	1.5539	0.2500		3.3481	
	0.0625		0.7649	0.1250	1.6163	4.000		0.0625	0.9092
	0.0830		1.0095	0.1500	1.9258			0.0830	1.2011
	0.1000		1.2099	0.1750	2.2306		0.1000	1.4409	
	0.1200		1.4431	0.2000	2.5307		0.1200	1.7202	
	0.1250		1.5009	0.2250	2.8263		0.1250	1.7895	
	0.1500		1.7872	0.2500	3.1172		0.1500	2.1336	
	0.1750		2.0689	3.750	0.0490		0.6700	0.1750	2.4730
	0.2000		2.3460		0.0580		0.7911	0.2000	2.8078
	0.2250	2.6185	0.0625		0.8515		0.2250	3.1380	
		0.0830	1.1245		0.2500		3.4636		

Not all sizes are available in all alloys and tempers. Thousands of more custom OD/wall combinations are available, subject to inquiry.